

Package: onlineretail (via r-universe)

September 12, 2024

Type Package

Title Online Retail Dataset

Version 0.1.2

Date 2021-05-13

Description Transactions occurring for a UK-based and registered, non-store online retail between 01/12/2010 and 09/12/2011 (Chen et. al., 2012, <[doi:10.1145/1835804.1835882](https://doi.org/10.1145/1835804.1835882)>). This dataset is included in this package with the donor's permission, Dr. Daqing Chen.

Depends R (>= 3.5.0)

License CC0

URL <https://github.com/allanvc/onlineretail/>,
<https://doi.org/10.1057/dbm.2012.17>,
<https://www.researchgate.net/profile/Daqing-Chen>

BugReports <https://github.com/allanvc/onlineretail/issues/>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

LazyDataCompression xz

Repository <https://allanvc.r-universe.dev>

RemoteUrl <https://github.com/allanvc/onlineretail>

RemoteRef HEAD

RemoteSha 3a77afe42f2650c54221573f9537e45cde646834

Contents

onlineretail	2
Index	3

onlinetail

Online Retail Data Set

Description

This Online Retail dataset contains all the transactions occurring for a UK-based and registered, non-store online retail between 01/12/2010 and 09/12/2011. The company mainly sells unique all-occasion gift-ware. Many customers of the company are wholesalers.

Usage

`data(onlinetail)`

Format

A data frame with eight variables:

InvoiceNo A character indicating the invoice number, which is a 6-digit integral number uniquely assigned to each transaction. If this code starts with the letter 'c', it indicates a cancellation.

StockCode A character indicating the product (item) code, which is a 5-digit integral number uniquely assigned to each distinct product. It can be accompanied by a trailing uppercase letter.

Description A character indicating the Product (item) name.

Quantity A numeric indicating the quantities of each product (item) per transaction.

InvoiceDate A POSIXct indicating the invoice day and time when a transaction was generated.

UnitPrice A numeric indicating the product price per unit in sterling (£)

CustomerID A numeric indicating the customer number, which is a 5-digit integral number uniquely assigned to each customer.

Country A character indicating the name of the country where a customer resides.

Source

[UCI Machine Learning Repository](#)

References

Daqing Chen, Sai Liang Sain, and Kun Guo (2012), Data mining for the online retail industry: A case study of RFM model-based customer segmentation using data mining. *Journal of Database Marketing and Customer Strategy Management*, Vol. 19, No. 3, pp. 197-208, 2012 (Published online before print: 27 August 2012. doi: 10.1057/dbm.2012.17).

Examples

`data(onlinetail)`

Index

* **datasets**

onlinetail, 2

onlinetail, 2